Microbiology Division

338 South Abbott Ave, Milpitas, CA 95035 408-934-7010

www.emsl.com

Certificate of Analysis

Product: Mesosilver®

Project: Antimicrobial effectiveness of colloidal silver

EMSL Reference Number: 090402726

Experimental Design Summary:

Test survival of vancomycin-resistant *Staphylococcus aureus* subsp. *aureus* American Type Culture Collection Strain No. 700699 in two Mesosilver products (20 and 75 ppm) using two (1% and 10%) concentrations of product as supplied. The microorganism was tested for survival at four (0, 2, 5, and 24 hour) time points. A negative control (no product) was included for comparison. The treatments were performed in triplicate in sterile phosphate buffer with MgCl₂ (Hardy Diagnostics) and incubated without continuous mixing at 35°C then plated in duplicate on nutrient agar for 72 hours. Results were reported as mean ± standard deviation. Media sterility controls showed no growth.

Experimental Results Summary:

Vancomycin-resistant *Staphylococcus aureus* subsp. *aureus* inoculated at 2.4 x 10⁸ cells ml⁻¹ was used to determine the effect of Mesosilver colloidal silver on bacterial survival. The results show that both Mesosilver products have a negative impact on the survival of *S. aureus* subsp. *aureus* when used at 1% and 10% concentrations (Tables 1 and 2). After 5 hours, 1% and 10% 75 ppm Mesosilver both reduced the numbers of *S. aureus* subsp. *aureus* cells to below the level of detection. The remaining tested concentrations were successful in reducing the number of cells to below the level of detection within 24 hours.

Analyst		Date 10-19-2004	
-	Flizabeth Lewis Roberts Phil	D. Microbiologist-Special Projects	

Microbiology Division

338 South Abbott Ave, Milpitas, CA 95035 408-934-7010

www.emsl.com

Antimicrobial effectiveness of Mesosilver 20 ppm colloidal silver

20 M 1 (0/)	CFU ml ⁻¹			
20 ppm Mesosilver (%)	2h	5h	24h	
0	$3.4 \times 10^8 \pm 3.0 \times 10^6$	$3.2 \times 10^8 \pm 1.6 \times 10^6$	$9.8 \times 10^7 \pm 7.6 \times 10^5$	
1.0	$3.9 \times 10^7 \pm 3.5 \times 10^6$	$1.8 \times 10^6 \pm 5.8 \times 10^5$	<1	
10.0	$5.5 \times 10^6 \pm 1.8 \times 10^6$	$6.7 \times 10^5 \pm 5.8 \times 10^5$	<1	

Table 1. Survival of vancomycin-resistant *Staphylococcus aureus* subsp. *aureus* ATCC No. 700699 inoculated at 2.4×10^8 cells ml⁻¹ in the presence of 1% and 10% 20 ppm Mesosilver colloidal silver.

Microbiology Division

338 South Abbott Ave, Milpitas, CA 95035 408-934-7010

www.emsl.com

Antimicrobial effectiveness of Mesosilver 75 ppm colloidal silver

75 M 11 (0/)	CFU ml ⁻¹			
75 ppm Mesosilver (%)	2h	5h	24h	
0	$3.4 \times 10^8 \pm 3.0 \times 10^6$	$3.2 \times 10^8 \pm 1.6 \times 10^6$	$9.8 \times 10^7 \pm 7.6 \times 10^5$	
1.0	$4.2 \times 10^6 \pm 1.9 \times 10^6$	<1	<1	
10.0	$5.0x\ 10^5 \pm 5.0x\ 10^5$	<1	<1	

Table 2. Survival of vancomycin-resistant *Staphylococcus aureus* subsp. *aureus* ATCC No. 700699 inoculated at 2.4×10^8 cells ml⁻¹ in the presence of 1% and 10% 75 ppm Mesosilver colloidal silver.

Microbiology Division

338 South Abbott Ave, Milpitas, CA 95035 408-934-7010

www.emsl.com

Antimicrobial effectiveness of Mesosilver colloidal silver

	Time Point (hours)					
Treatment	2		5		24	
Treatment	Colony	Dilution	Colony	Dilution	Colony	Dilution
	Count	Factor	Count	Factor	Count	Factor
1.0% 20 ppm Mesosilver-1	34 / 39	1000000	2 / 1	1000000	0/0	1000000
1.0% 20 ppm Mesosilver –2	44 / 43	1000000	3 / 2	1000000	0/0	1000000
1.0% 20 ppm Mesosilver -3	40 / 38	1000000	2 / 1	1000000	0 / 0	1000000
10% 20 ppm Mesosilver –1	3 / 4	1000000	0/0	1000000	0/0	1000000
10% 20 ppm Mesosilver -2	6/6	1000000	1 / 1	1000000	0/0	1000000
10% 20 ppm Mesosilver -3	8 / 6	1000000	1 / 1	1000000	0/0	1000000
1.0% 75 ppm Mesosilver –1	2/2	1000000	0/0	1000000	0/0	1000000
1.0% 75 ppm Mesosilver -2	7/3	1000000	0/0	1000000	0/0	1000000
1.0% 75 ppm Mesosilver –3	8/3	1000000	0/0	1000000	0/0	1000000
10.0% 75 ppm Mesosilver –1	1 / 0	1000000	0/0	1000000	0/0	1000000
10% 75 ppm Mesosilver –2	1 / 1	1000000	0/0	1000000	0/0	1000000
10% 75 ppm Mesosilver -3	0/0	1000000	0/0	1000000	0/0	1000000

Table 3. Raw data of antimicrobial effectiveness of colloidal silver against *S. aureus* subsp. *aureus*. Average colony count x dilution factor = colony forming units per ml (CFU ml⁻¹).